

## 4-METHYLDEC-4-EN-3-OL AND FRAGRANCE COMPOSITION

The present invention refers to 4-methyldec-4-en-3-ol, to a method of its production and to fragrance compositions comprising it.

5

In the fragrance industry there is a constant demand for new compounds that enhance or improve on odour notes, or impart new odour notes.

Compounds enhancing floral, fruity, green odour notes are of particular interest,  
10 because of the general trend of return to classical natural scents. Surprisingly we found that 4-methyldec-4-en-3-ol fulfils this demand.

Thus, the present invention refers in one of its aspects to the use of 4-methyldec-4-en-3-ol as fragrance.

15

4-Methyldec-4-en-3-ol may be used alone or in combination with a base material. As used herein, the "base material" includes all known odourant molecules selected from the extensive range of natural products and synthetic molecules currently available, such as essential oils, alcohols, aldehydes and ketones, ethers and acetals, esters and  
20 lactones, macrocycles and heterocycles, and/or in admixture with one or more ingredients or excipients conventionally used in conjunction with odourants in fragrance compositions, for example, carrier materials, and other auxiliary agents commonly used in the art.

25 The following list comprises examples of known odourant molecules, which may be combined with the compounds of the present invention:

- ethereal oils and extracts, e.g. tree moss absolute, basil oil, castoreum, costus root oil, myrtle oil, oak moss absolute, geranium oil, jasmin absolute, patchouli oil, rose oil,  
30 sandalwood oil, wormwood oil, lavender oil or ylang-ylang oil;
- alcohols, e.g. citronellol, Ebanol™, eugenol, farnesol, geraniol, Super Muguet™, linalool, phenylethyl alcohol, Sandalore™, terpineol or Timberol™.

- aldehydes and ketones, e.g.  $\alpha$ -amylcinnamaldehyde, Georgywood<sup>TM</sup>, hydroxycitronellal, Iso E Super<sup>®</sup>, Isoraldeine<sup>®</sup>, Hedione<sup>®</sup>, maltol, Methyl cedryl ketone, methylionone or vanillin;
- 5    – ethers and acetals; e.g. Ambrox<sup>TM</sup>, geranyl methyl ether, rose oxide or Spirambrene<sup>TM</sup>.
- esters and lactones, e.g. benzyl acetate, Cedryl acetate,  $\gamma$ -decalactone, Helvetolide<sup>®</sup>,  $\gamma$ -undecalactone or Vetivenyl acetate.
- 10    – macrocycles, e.g. Ambrettolide, Ethylene brassylate or Exaltolide<sup>®</sup>.
- heterocycles, e.g. isobutylcholine.
- 15    The compound of the present invention may be used in a broad range of fragrance applications, e.g. in any field of fine and functional perfumery, such as perfumes, household products, laundry products, body care products and cosmetics. The compound can be employed in widely varying amounts, depending upon the specific application and on the nature and quantity of other odourant ingredients. The proportion
- 20    is typically from 0.001 to 20 weight percent of the application. In one embodiment, 4-methyldec-4-en-3-ol may be employed in a fabric softener in an amount of from 0.001 to 0.05 weight percent. In another embodiment, 4-methyldec-4-en-3-ol may be used in fine perfumery in amounts of from 0.1 to 20 weight percent, more preferably between 0.1 and 5 weight percent. However, these values are given only by way of example,
- 25    since the experienced perfumer may also achieve effects or may create novel accords with lower or higher concentrations.

The compound of the present invention may be employed into the fragrance application simply by directly mixing the fragrance composition with the fragrance application, or

30    they may, in an earlier step be entrapped with an entrapment material, for example, polymers, capsules, microcapsules and nanocapsules, liposomes, film formers, absorbents such as carbon or zeolites, cyclic oligosaccharides and mixtures thereof, or they may be chemically bonded to substrates, which are adapted to release 4-methyldec-4-en-3-ol upon application of an external stimulus such as light, enzyme, or

35    the like, and then mixed with the application.

Thus, the invention additionally provides a method of manufacturing a fragrance application, comprising the incorporation of 4-methyldec-4-en-3-ol as a fragrance ingredient, either by directly admixing it to the application or by admixing a fragrance composition comprising 4-methyldec-4-en-3-ol, which may then be mixed to a fragrance application, using conventional techniques and methods.

As used herein, "fragrance application" means any product, such as fine perfumery, e.g. perfume and eau de toilette; household products, e.g. detergents for dishwasher, surface cleaner; laundry products, e.g. softener, bleach, detergent; body care products, e.g. shampoo, shower gel; and cosmetics, e.g. deodorant, vanishing creme, comprising an odourant. This list of products is given by way of illustration and is not to be regarded as being in any way limiting.

4-Methyldec-4-en-3-ol may be prepared for example by alkylation of 2-methylnon-2-enal in the presence of ethylmagnesium bromide according to the procedure described in example 1.

Example 1: 4-Methyldec-4-en-3-ol

A solution of 2-methylnon-2-enal (2.7 g, 19 mmol) in diethyl ether (10 ml) was slowly added, under nitrogen, to a 3M solution of ethylmagnesium bromide in diethyl ether (7.0 ml, 21 mmol) diluted with the same solvent (10 ml) at 0 - 5°C, under nitrogen. The reaction mixture was stirred at room temperature for 24 h, poured on an ice-cold 2N HCl solution and extracted with MTBE (100 ml). The combined organic layers were washed with brine (2 x 100 ml), dried (MgSO<sub>4</sub>) and concentrated in vacuo. The crude product (1.8 g, 55% yield) was purified by flash chromatography (silica gel; *n*-hexane/MTBE 4:1) to provide an olfactorily pure sample. B.p. 99°C/10 mbar.

<sup>1</sup>H-NMR (400 MHz, in CDCl<sub>3</sub>): δ 0.82 (t, *J* = 7.5, 3H), 0.89 (t, *J* = 7.0, 3H), 1.22-1.42 (m, 6H), 1.53 (m, 2H), 1.56 (s, 3H), 2.01 (q, *J* = 7.2, 2H), 2.73 (s, 1H), 3.85 (t, *J* = 6.8, 1H), 5.34 (t, *J* = 7.2, 1H). <sup>13</sup>C NMR (100 MHz, in CDCl<sub>3</sub>): δ 9.9 (q), 10.7 (q), 13.8 (q), 22.4 (t), 27.3 (t), 27.4 (t), 29.1 (t), 31.4 (t), 79.2 (d), 126.6 (d), 136.7 (s). IR (neat): λ<sub>max</sub> 3356, 2959, 2929, 2873, 2858, 1458, 1335, 1099, 1002, 963 cm<sup>-1</sup>.

Odour description: Floral, rosy, fatty, fresh, metallic, green.

Example 2: Fragrance composition for a soap

5		
	<u>Ingredient</u>	<u>Part per weight</u>
	Agrumex	15
	4- <i>t</i> -Butylcyclohexyl acetate	50
10	Carbitol	302
	<i>p</i> -Cresol	12
	Damascenone 1% in DPG	15
	Damascone delta 1% in DPG	20
	Ethyl maltol	2
15	Fructose	10
	Heliotropin	10
	Hydroxycitronellal	20
	4-( <i>p</i> -Hydroxyphenyl)-2-butanone	5
	Ionone beta	300
20	Iso E Super	50
	Lilial	20
	Linalool	40
	Methylionone	500
	Neofolione	10
25	Nonadienal 10% in TEC	2
	Sandela	50
	Terpenyl acetate	20
	<i>p</i> -Tolulaldehyde	2
	Vaniline	5
30	Verdyl acetate	20
	<b>4-Methyldec-4-en-3-ol</b>	<b>20</b>
		1500

4-Methyldec-4-en-3-ol makes this composition smell rounder, richer, more creamy and  
 35 fruity, giving it a green natural touch.

Claims

1. 4-Methyldec-4-en-3-ol.
2. The use of 4-methyldec-4-en-3-ol as fragrance ingredient.
3. A fragrance composition comprising 4-methyldec-4-en-3-ol.
4. A method of manufacturing a fragrance application, comprising the step of incorporating 4-methyldec-4-en-3-ol.

# INTERNATIONAL SEARCH REPORT

PCT/CH2004/000570

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 C07C33/03 C11B9/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 C07C C11B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, CHEM ABS Data, BEILSTEIN Data, WPI Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 086 945 A (L. GIVAUDAN & CIE SOCIETE ANONYME) 31 August 1983 (1983-08-31) claims 1-19	1-4
A	EP 0 045 453 A (L. GIVAUDAN & CIE SOCIETE ANONYME) 10 February 1982 (1982-02-10) claims 1-21	1-4

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*G\* document member of the same patent family

Date of the actual completion of the international search

3 February 2005

Date of mailing of the international search report

11/02/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Kleidernigg, O

## INTERNATIONAL SEARCH REPORT

PCT/CH2004/000570

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0086945	A	31-08-1983	DE 3360016 D1	17-01-1985
			EP 0086945 A1	31-08-1983
			JP 1772833 C	14-07-1993
			JP 4065814 B	21-10-1992
			JP 58128332 A	30-07-1983
			US 4572795 A	25-02-1986
EP 0045453	A	10-02-1982	BR 8104839 A	13-04-1982
			CA 1177094 A1	30-10-1984
			DE 3162292 D1	22-03-1984
			EP 0045453 A1	10-02-1982
			ES 8203811 A1	16-07-1982
			US 4482762 A	13-11-1984
			US 4585662 A	29-04-1986
			JP 1680166 C	13-07-1992
			JP 3046455 B	16-07-1991
			JP 57058636 A	08-04-1982